

Professional Pressure Washers
Liberty Series



Industrial-Duty, Cabinet Design Pressure Washer

Belt-Drive, Cold Water Power for Commercial Applications



Cold Water | Electric Powered | Belt Drive



Cold-Water Cabinet

Our cold-water cabinet units really take the heat, accepting heated water up to 180°F. Protected in durable steel cabinets, they demonstrate industrial strength throughout, including belt-drive Kärcher crankcase pumps, industrial Baldor motors, and magnetic starters for operator safety. All models are ETL certified to UL and CSA safety standards.



Wheel Kit with detergent rack and optional hose reel



Floor stand with caster wheels

Powerful and durable

- Inlet strainer protects pump from debris damage.
- Rugged, ventilated 16-gauge steel cabinet with epoxy, powder coat finish for all-weather protection; vibration isolators for long-life protection to frame and components.
- Industrial-duty Baldor motor with ground fault circuit interrupter (GFCI) on single-phase models for operator protection.
- Notched V-belts and cast-iron pulleys reduce belt slippage and provide longer pump life.
- Industrial-grade, tri-plunger, belt-drive Kärcher high pressure pump with forged brass head and ceramic pistons can accept hot water up to 180°F.

Smart features

- Marine grade rocker switch wired to magnetic starter for additional operator safety
- Steel wand with quick-couple connectors for easy attachment of high-pressure nozzles.
- Five conveniently mounted, quick-couple spray nozzles for varying fan spray.


Outstanding mobility

- Ergonomically designed high-pressure trigger gun for hours of fatigue-free cleaning.

Technical Data and Equipment

HD 2.8/10 ST Ed B HD 4.2/20 ST Ea B HD 4.2/20 ST Eb B HD 4.2/20 ST Ec B HD 4.2/20 ST Eh B

- Accept hot water up to 180°F
- Powder coated steel cabinets
- Belt-drive pump w/ 7-year warranty
- Available in 120V, 208V, 230V, 460V



Technical Data

	HD 2.8/10 ST Ed B	HD 4.2/20 ST Ea B	HD 4.2/20 ST Eb B	HD 4.2/20 ST Ec B	HD 4.2/20 ST Eh B
GPM	2.8	4.2	4.2	4.2	4.2
PSI	1000	2000	2000	2000	2000
HP	2	6	6	6	6
Electrical	120V / 1ph	230V / 1ph	230V / 3ph	460V / 3ph	208V / 3ph
Amps	20	29	22	11	16
Pump	Kärcher KD	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM
Ship Weight lbs.	210	285	255	260	265
Dimensions (L x W x H) inches	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16
Order No.	1.575-300.0	1.575-301.0	1.575-302.0	1.575-303.0	1.575-305.0

HD 3.5/30 ST Ea B HD 3.5/30 ST Eb B HD 3.5/30 ST Ec B HD 3.5/30 ST Eg B HD 3.5/30 ST Eh B



Technical Data

	HD 3.5/30 ST Ea B	HD 3.5/30 ST Eb B	HD 3.5/30 ST Ec B	HD 3.5/30 ST Eg B	HD 3.5/30 ST Eh B
GPM	3.5	3.5	3.5	3.5	3.5
PSI	3000	3000	3000	3000	3000
HP	7.5	7.5	7.5	7.5	7.5
Electrical	230V / 1ph	230V / 3ph	460V / 3ph	208V / 1ph	208V / 3ph
Amps	36	19	11	38	23
Pump	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM
Ship Weight lbs.	330	275	270	332	271
Dimensions (L x W x H) inches	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16
Order No.	1.575-306.0	1.575-307.0	1.575-308.0	1.575-309.0	1.575-310.0

Options

9.801-002.0*	Conversion to Stainless Steel Cabinet	9.801-034.0	Floor Stand, 36" Tall
9.801-011.0*	Auto Start/Stop	8.903-617.0	Stainless Steel Floor Stand, 36" Tall
9.801-012.0*	Time-Delay Shutdown	8.941-546.0	Stainless Steel Floor Stand, without Hose Hanger
9.801-013.0*	Hour Meter	9.801-035.0	Caster Wheels for Floor Stand
9.801-031.0	Wheel Kit with Detergent Rack	9.801-036.0**	Hose Reel Kit, Floor Stand Only, 100 ft, No Hose
9.801-033.0	Wall Mount Kit	8.903-521.0**	Hose Reel Kit for Wheel Kit, 100 ft, No Hose
8.903-043.0	Stainless Steel Wall Mount Kit	9.802-265.0**	Cox Reel, Wall Mount
8.903-040.0	Floor Stand, 24" short	8.903-039.0**	Kit, Hose Reel w/Bracket for Stand & Wall Mount Kits

* Factory installed **hose not included



makes a difference

Your Authorized Kärcher Professional Dealer:

Kärcher Commercial
Phone 888-805-9852
Fax 800-248-8409
info@karchercommercial.com
www.karchercommercial.com