


Industrial-Duty, Gasoline-Powered Pressure Washer

Belt-Drive, Cold Water Power for Commercial Applications



Cold Water | Gas Powered | Belt Drive



Liberty HD PB

Our cold-water belt-drive series provides a broad selection of rugged belt-drive units, all with reliable Honda GX engines, which deliver cleaning volume of up to 3.7 GPM. Each model is ETL certified to UL-1776 safety standards and comes with a rugged steel chassis, cast iron belt pulley system, tubed pneumatic tires, and industrial-grade Kärcher crankcase pump.

Powerful and durable

- Rugged chassis base painted with an epoxy powder coat finish for all-weather protection.
- Notched V-belts and cast-iron pulleys reduce belt slippage and provide longer pump life.
- Reliable Honda GX engine with two-year warranty; low-oil alert and silent-tone muffler (9 and 13 HP models also have valve for easy pull-start).
- 50' durable wire-braid hose rated for 3000 or 4000 PSI; with hose guard for burst protection.
- Inlet strainer protects pump from debris in the water source.
- 50' durable wire-braid hose rated for 3000 or 4000 PSI; with hose guard for burst protection.

Smart features

- Easy-to-attach downstream detergent injector with brass soap nozzle.
- Stainless steel wand with quick-couple connectors for easy attachment of high-pressure nozzles.
- Insulated, high-pressure trigger gun for hours of fatigue-free cleaning.
- Industrial-grade tri-plunger oil-bath Kärcher pump with forged brass head and ceramic pistons.

Outstanding mobility

- 10" tubed pneumatic tires for easy maneuvering on all terrains.
- Rubber feet to absorb vibration and keep the unit from "walking".
- Convenient front and back 1 1/4" chrome-plated handles to assist in lifting and moving the pressure washer.


Technical Data and Equipment

HD 3.0/30 PB

HD 3.7/35 PB

HD 3.0/40 PB

- Chrome handles
- Powder coated steel chassis
- Reliable Honda GX engine
- Water volume up to 3.7 GPM
- Industrial belt-drive Kärcher pump
- Tubed pneumatic tires



Technical Data

GPM		3.0	3.7	3.0
PSI		3000	3500	4000
Engine		Honda GX270	Honda GX390	Honda GX390
CC		270	389	389
Fuel		Gas	Gas	Gas
Pump		Kärcher KD	Kärcher KM	Kärcher KM
Ship Weight	lbs.	225	250	250
Dimensions (L x W x H)	inches	45 x 26 x 24	45 x 26 x 24	45 x 26 x 24
Order No.		1.575-152.0	1.575-154.0	1.575-155.0



Your Authorized Kärcher Professional Dealer:

Kärcher Commercial
Phone 888-805-9852
Fax 800-248-8409
info@karchercommercial.com
www.karchercommercial.com