

Aluminum, Direct-Drive, Belt-Drive, Pressure Washer

Compact Cold Water Power for Commercial Applications



Cold Water | Gas Powered | Direct Drive | Belt Drive



Liberty Aluminium Series

Kärcher's Aluminum Liberty Series HD pressure washer offers commercial grade cleaning in a light-weight, corrosion-resistant and easily mobile design. Built with a weldless aluminum frame, these units provide best-in-class maneuverability and are easy to push and pull, in part to their innovative shape and weight distribution. Cast aluminum rotary joints allow for easy transport, easy storage and ergonomic operation. All models are ETL certified to both UL and CSA safety standards



Powerful and durable

- Commercial-duty Kärcher crankcase pump with 7-year warranty.
- Commercial-duty gasoline- powered Honda GX engine with 3-year warranty.
- Vented belt guard provides cooler operating temperature for belts and pulleys for longer service life.
- Water-resistant electrical box with two-position rotary on/off switch.
- 50 ft. of steel-wire braid high pressure hose rated for 4,000 PSI with 24-inch hose guard for burst protection and swivel crimp fitting for tangle-free handling of hose and trigger gun.
- Four quick-couple high-pressure nozzles of hardened stainless steel and color-coded for easy selection of spray pattern: 0°, 15°, 25°, 40°.

Smart features

- Thermal pump protector to protect pump from excessive heat build-up while in by-pass.
- Professional-duty trigger gun and spray wand with adjustable side grip.
- Convenient storage of hose and trigger gun thanks to on-board hose and gun/wand hanger.

Outstanding mobility

- Weldless aluminum frame with 1-1/4" handle and bumper for maximum durability and mobility.
- Spring-loaded rubber feet prevent walking of the unit during operation.
- Pneumatic tires make for easy maneuvering on any terrain.
- Convenient front and back chrome-plated handles to assist in lifting and moving the pressure washer.

Technical Data and Equipment

HD 2.5/27 P AL HD 3.0/30 P AL HD 3.8/35 P AL HD 3.5/40 P AL HD 2.5/27 PB AL HD 3.7/35 PB AL

- Weldless aluminum frame
- Cast aluminum rotary joints
- Quick-couple high pressure nozzles
- Professional-Duty accessories
- On-board hose/wand hanger
- 7-year pump warranty
- 3-year engine warranty



Technical Data

GPM	2.5	3.0	3.8	3.5	2.5	3.7
PSI	2700	3000	3500	4000	2700	3500
Engine	Honda GX200	Honda GX270	Honda GX390	Honda GX390	Honda GX200	Honda GX390
CC	196	270	389	389	196	389
Pump	Kärcher KG	Kärcher KD	Kärcher KS	Kärcher KS	Kärcher KD	Kärcher KM
Ship Weight lbs.	125	148	172	172	196	249
Dimensions (L x W x H) inches	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	49.9 x 27 x 40.6	49.9 x 27 x 40.6
Order No.	1.107-129.0	1.107-130.0	1.107-131.0	1.107-227.0	1.107-132.0	1.107-133.0

Options (field installed)

8.929-062.0	Detergent injector up to 3 GPM
9.802-225.0	Detergent injector over 3 GPM
8.723-636.0	Detergent nozzle
4.767-041.0	Dirt Blaster nozzle - HD 2.5/27 P AL
9.302-447.0	Dirt Blaster nozzle - HD 3.0/30 P AL
9.302-443.0	Dirt Blaster nozzle - HD 3.8/35 P AL



makes a difference

Your Authorized Kärcher Professional Dealer:

Kärcher Commercial
Phone 888-805-9852
Fax 800-248-8409
info@karchercommercial.com
www.karchercommercial.com