



The zero emission specialist

Energy efficient hot water pressure washer for commercial applications









Hot Water | Electric Powered | Electric Heated



HDS-E 3.3/25-4M Ec powerful, exhaust-free cleaning

The emission-free HDS-E 3.3/25-4M Ec with electric heater is ideal where exhaust gases are undesirable or prohibited. Thanks to the unique type of heater insulation and Kärcher ecolefficiency mode, the HDS-E 3.3/25-4M Ec is efficient and eco-friendly. Models are ETL certified to UL & CSA safety standards.









Shown will optional Servo Control











1 Energy efficiency, for high cost savings

- Improved highly effective heater insulation saves up to 40% energy in standby mode
- 2 High working temperature
- 13 gallon large hot water tank (max. 185 °F)

3 Environmentally friendly

- ecolefficiency mode for economical operation and ideal cleaning results
- Less energy consumption saves the environment

4 Smart, convenient storage

- Large glove box keeps tools and essentials at your fingertips
- 5 Designed with mobility in mind
- Robust, large rubber wheels with enhanced castor and brake
- Tilting aid located on back of machine
- Tie-downs point for safe transport and loading



Technical Data and Equipment

HDS-E 3.3/25-4M Ec

- $\hfill \square$ No fossil fuel emissions or fumes
- Quiet, clean and user friendly
- 90°F temperature rise under full load; 130°F rise under partial load
- $\hfill \blacksquare$ Infinitely variable water pressure, temperature control and soap metering







Technical Data		
GPM		1.6 - 3.3
PSI		465 - 2520
HP		6
Electrical		460V / 3ph / 60Hz
Amps		50
Pump		Kärcher Axial
Ship Weight	lbs.	290
Dimensions (L x W x H)	inches	46 x 28 x 44

Equipment

<u> </u>			
Trigger gun		Easy Press	
High-pressure hose	feet	33	
Pivoting Spray lance	inches	41	
Power nozzle			
Dry running protection			
Order No.		1.030-252.0	

■ Included in delivery.

Optional Accessories

Optional Accessories			
8.750-685.0	100' Pivot Hose Reel, 3/8" x 100' with pin lock		
8.921-775.0	Classic pivoting hose reel bracket mount (*requires additional parts)		
*8.918-280.0	Hose, 3/8"x 6'		
*6.435-777.0	Caster wheel, unlocked		
*7.303-236.0	Bolts (requires 4)		
*5.111-065.0	Spacer sleeve (requires 4)		
*8.709-531.0	Coupler, Twist Seal, 3/8" Socket, Female		
*9.802-114.0	Street Elbow, 3/8" Mpt x 3/8" Fpt / 90 Degree		
9.302-444.0	Dirt blaster nozzle		
2.640-355.0	Surface cleaner, FR 30 ME		
2.639-187.0	Nozzle kit for FR		
4.403-002.0	Coupler		
4.775-470.0	Servo Control		









Your Authorized Kärcher Professional Dealer:

Kärcher Commercial Phone 888-805-9852 Fax 800-248-8409 info@karchercommercial.com www.karchercommercial.com