


Skid mounted, gasoline-powered pressure washer

Hot water power for commercial applications



Hot Water | Gas Powered | Diesel Heated



Classic HDS Pe Cage

These durable, skid-mounted models are designed for optimum cleaning performance at remote locations and feature Kärcher's unique 12V downdraft burner system. The highly compact burner is more than 92% efficient, resulting in better heat transfer using much less fuel. They feature belt-drive crankcase-style pumps. Certified to UL and CSA safety standards.

Powerful and durable

- Industrial-duty, tri-plunger, oil-bath, belt-drive Kärcher KT pump with 7-year warranty, brass pump head, and Tru-Trak belt adjustments; operates at a low RPM for low-maintenance operation and long life.
- Heavy-gauge 1 1/4" steel frame with powder coat finish for all-weather protection; with vibration isolators and forklift guides.
- Reliable gas-powered engines with electric start.
- Proprietary scale inhibiting system prevents build-up of mineral deposits inside the coil.
- Rust-free 11 gal. Polyethylene diesel and gasoline tanks for hours of uninterrupted operation.
- Warning lights monitor fuel and scale inhibitor levels; low-fuel shut-off protects fuel pump.

Smart features

- Kärcher's 92% efficient top-fired burner delivers more heat from less fuel for the lowest operating costs in the industry.
- Detergent metering valve allows for infinitely variable application of soap while washing in high-pressure mode.
- 50' Kärcher high-pressure steam hose rated for 311°F connects to the gun with an integrated swivel connection.
- Infinitely variable operating pressure, water volume, temperature control, and detergent metering.
- Unsurpassed Kärcher safety features include pressure switches, rupture disk, low-water and low-fuel protection that shuts down burner when incoming water and fuel are insufficient or interrupted.
- Ergonomically designed soft-grip Easy Press trigger gun minimizes operator fatigue.


Technical Data and Equipment

HDS 4.0/32 Pe Cage

HDS 5.0/32 PE Cage

HDS 5.5/35 Pe Cage

- Rugged frame construction
- Reliable belt-drive crankcase pumps
- Compact and highly-efficient burner
- Low-fuel cut off
- Anti-scale system
- Electric start engines



Technical Data

GPM		4.0	5.0	5.5
PSI		3200	3200	3500
Engine		Honda GX390	Vanguard 16	Honda GX630
CC		389	479	688
Drive		Belt	Belt	Belt
Pump		Kärcher KT	Kärcher KT	Kärcher KT
Ship Weight	lbs.	692	762	741
Dimensions (L x W x H)	inches	51 x 33 x 43	51 x 33 x 43	51 x 33 x 43
Order No.		1.575-615.0	1.575-616.0	1.575-617.0



makes a difference

Your Authorized Kärcher Professional Dealer:

Kärcher Commercial
Phone 888-805-9852
Fax 800-248-8409
info@karchercommercial.com
www.karchercommercial.com