


## All Electric, Fume-Free, Hot Water Pressure Washer

Quiet, Indoor Cleaning for Commercial Applications



## Hot Water | Electric Powered | Electric Heated



### HDS Cabinet

This Kärcher all-electric hot water pressure washer introduces hot-water tank technology to deliver hot water on demand ideal for indoor cleaning. Water is heated by flowing through a coil inside an 80-gallon water tank. Nine 4500W heating elements generate 138,000 BTU to produce hot water of up to 180°F. Both models are ETL certified.

#### Powerful and durable

- Industrial-grade, tri-plunger, oil-bath, belt-drive, Kärcher pump with 7-year warranty and cast iron pulley system that features cool operating V-belts and an easy-to-adjust TrueTrak belt tension device.
- Heavy-duty, steel cabinets are protected by an epoxy powder coat finish; upper cabinet ventilated for cool operation.
- Thermal pump saver valve prevents damage by venting recirculated water.
- Nine heating elements (54 KW) are protected by an Incoloy alloy sheath so they do not come in contact with the pressurized water, which can cause scale build up.
- Industrial-duty magnetic motor starter for reliable operation.
- Fatigue-free trigger gun and insulated, stainless steel, variable pressure wand for ease in cleaning and long life.
- 50 ft. of double-wire braid, non-marking hose rated for up to 4500 PSI; hose guard provides burst protection.
- Low-water flow switch prevents damage to heating elements due to lack of water.

#### Smart Features

- Industrial-duty electric motor with thermal overload protection.
- Four quick-coupler nozzles are made of hardened stainless steel and mounted for easy operator access.
- Easy-to-attach detergent Injector for ease in introducing soap into the spray while cleaning.
- 7-day timer automatically turns off heating elements to conserve energy.
- Auto start function allows unit to be turned on with pull of the trigger for operator convenience.

#### Outstanding mobility

- Motor and pump are mounted on a power platform with four vibration dampeners that minimize chassis fatigue and stress.
- ETL certified to the rigorous UL-1776 safety standards.

## Technical Data and Equipment

### HDS 4.0/20 E Ec

### HDS 4.0/30 E Ec

- Quiet, enviro-clean and user friendly
- Rust-free stainless steel coil enhances high-efficiency heat transfer
- Auto start-stop for on-demand cleaning
- Kärcher Belt-drive pump with 7-year warranty



### Technical Data

<b>GPM</b>		4.2	3.5
<b>PSI</b>		2000	3000
<b>HP</b>		6.2	7.5
<b>Electrical</b>		460V / 3ph	460V / 3ph
<b>Amps</b>		55	59
<b>Pump</b>		Kärcher KM	Kärcher KM
<b>Ship Weight</b>	<b>lbs.</b>	640	640
<b>Dimensions (L x W x H)</b>	<b>inches</b>	32 x 24 x 52	32 x 24 x 52
<b>Order No.</b>		<b>1.109-075.0</b>	<b>1.109-076.0</b>

### Options (factory installed)

<b>9.801-012.0</b>	Time delay shutdown (replaces auto start-stop)
<b>9.801-002.0</b>	Pressure washer stainless steel cabinet



**makes a difference**

**Your Authorized Kärcher Professional Dealer:**

Kärcher Commercial  
Phone 888-805-9852  
Fax 800-248-8409  
[info@karchercommercial.com](mailto:info@karchercommercial.com)  
[www.karchercommercial.com](http://www.karchercommercial.com)