

## Rugged Gasoline or Diesel-Powered Pressure Washer

Skid Mounted and Hot Water Power for Commercial Use



## Hot Water | Gas or Diesel Powered | Diesel Heated



### Liberty HDS Pe/De Cage

Kärcher Series oil-fired skids are the workhorses of the pressure washer industry. Delivering up to 5.6 GPM of hot water at up to 3500 PSI, these rugged gas- and diesel-powered machines are built on an open frame using heavy-gauge 1-1/4" powder coated steel and are ideal for mounting to a truck or on a trailer. The electric-start engine and powerful belt-drive Kärcher KT pump are isolated from the rest of the machine on a shock-mounted sub-frame to reduce vibration. Steam combination comes standard with all models.

#### Powerful and durable

- Reliable, super-duty gasoline-or diesel-powered engines with electric start.
- High-output burner with transformer for years of reliable and affordable operation.
- Industrial-grade, tri-plunger, oil-bath, direct- drive, Kärcher pump with 7-year warranty.
- 50 ft. of durable, wire braid hose with extended guard for burst protection.
- Heavy-gauge 1 1/4" steel frame with powder coat finish for all-weather protection.
- Power platform cushioned on 8 vibration isolators for smoother operation and long-life protection to frame and components.
- Insulated Schedule 80 heating coils is made of 1/2-inch, coldrolled, steel pipe; with stainless steel wrap and 5-year warranty.


#### Smart features

- High pressure rupture disc rated to 7000 PSI to protect user against injury.
- Cast iron pulley system with totally enclosed, OSHA-compliant belt guard, and easy-to-adjust TrueTrak belt tension.
- Insulated, high-pressure trigger gun for hours of fatigue-free cleaning.
- 2.5 gal. float tank for high-pressure application of soap and to prevent pump cavitation.
- Water resistant control box with burner on/off switch, adjustable thermostat and hour meter.

## Technical Data and Equipment

HDS 3.9/30 Pe Cage	HDS 4.8/30 Pe Cage	HDS 4.8/30 Pe Cage	HDS 4.7/35 Pe Cage	HDS 4.7/35 Pe Cage	HDS 5.6/35 Pe Cage	HDS 5.6/35 Pe Cage	HDS 5.6/35 De Cage	HDS 5.6/35 De Cage
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

- Honda, Vanguard, Kohler engines
- 1-1/4" full steel skid frame
- Burner available in 12V DC or 120V AC
- Kärcher belt-drive tri-plunger pumps
- 1/2" Schedule 80 heating coil
- North American-style accessories
- Stainless steel coil wrap
- Power generator on select models
- Electric start engines



### Technical Data

<b>GPM</b>	3.9	4.8	4.8	4.7	4.7	5.6	5.6	5.6	5.6
<b>PSI</b>	3000	3000	3000	3500	3500	3500	3500	3500	3500
<b>Engine</b>	Honda GX390	Vanguard 16	Vanguard 16	Honda GX630	Honda GX630	Honda GX660	Honda GX660	Kohler KDW1003	Kohler KDW1003
<b>CC</b>	389	479	479	688	688	688	688	1028	1028
<b>Fuel</b>	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Diesel	Diesel
<b>Pump</b>	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT	Kärcher KT
<b>Burner</b>	12V DC	12V DC	120V AC	12V DC	120V AC	12V DC	120V AC	12V DC	120V AC
<b>Ship Weight lbs.</b>	805	854	945	855	905	852	970	1200	1315
<b>Dimensions (L x W x H) inches</b>	41 x 41 x 41	41 x 41 x 41	41 x 41 x 41	41 x 41 x 41	41 x 41 x 41	41 x 41 x 41	41 x 41 x 41	44 x 51 x 41	44 x 51 x 41
<b>Order No.</b>	1.575-600.0	1.575-601.0	1.575-602.0	1.575-603.0	1.575-604.0	1.575-605.0	1.575-606.0	1.575-609.0	1.575-610.0

### Options (field installed)

9.801-003.0	Wheel kit assembly (gas engine skid only)
8.903-430.0	Stackless flue adapter

### Options (factory installed)

8.904-051.0	Battery installed on Honda GX630 and GX660 models only
-------------	--



**makes a difference**

Your Authorized Kärcher Professional Dealer:

Kärcher Commercial  
Phone 888-805-9852  
Fax 800-248-8409  
[info@karchercommercial.com](mailto:info@karchercommercial.com)  
[www.karchercommercial.com](http://www.karchercommercial.com)